

EUROSOUND®

ENGINEERING FOR QUALITY

DMTP65-i5 DMTP75-i5

Interactive Whiteboard



ALL-IN-ONE

Device for Video Conferencing



All-in-One

A single device for video conferencing, whiteboarding and sharing documents



Dual-systems platform

Embedded Window-Android that transform your DMTP65-i5/DMTP75-i5 from a normal IWB to a multi-purpose tool



Compatible & Adaptable

Compatible with all collaboration platform including Zoom, Webex, Teams, Skype for Business, etc.



Plug and Play

Everything you need can be connected, and set-up in minutes.


Window-Android Dual-array enjoyment

The DMTP65-i5/DMTP75-i5 Interactive Whiteboard has excellent performance for Video Conferencing with All-in-One design, which embedded with 4K camera, pro-audio level speaker and microphone.

The dual systems extend a single device into multi-tasking capable AI assistant for conferencing, collaborating, whiteboarding, or online sharing of your brain-storming session.



A Board Fulfills All Your Needs



Powerful and Wonderful

- 4K**
4K UltraHD
- 20ms**
10ms/20pt Instant Response
- Wireless & Seamless Connection**
- Video Conference Capable**
- Dual Operation Systems**
- Quick Sharing Design**
- Gesture Eraser**
- Universal Control Media**

Compatible with



Mobility with Possibility

MC-6575

(Optional Trolley for DMTP Series)



Specification

ITEM	Model	DMTP65-i5	DMTP75-i5
Panel	LCD Size Diagonal	65"	75"
	Panel type	LCD	LCD
	Backlight type	D-LED	D-LED
	Panel Resolution	3840 x 2160 (pixels)	3840 x 2160 (pixels)
	Screen Orientation	Landscape	Landscape
	Brightness (typ)/(min)	350cd/m ² (typ.)	350cd/m ² (typ.)
	Contrast Ratio(typ)	1200:1 (typ)	1200:1 (typ)
	Response Time(ms)	8ms (typ.)	8ms (typ.)
	Pixel Pitch	0.372mm x 0.372mm	0.429mm x 0.429mm
	Aspect Ratio	16:9	16:9
	Frame rate	60Hz	60Hz
	View angle	178°(H) / 178°(V)	178°(H) / 178°(V)
	Life Time	30,000 hrs (min.)	30,000 hrs (min.)
	View area	1428.48mmx803.52mm	1649.664mmx927.963mm
	Display Colors	1.07B(10bit)	1.07B(10bit)
Touch System	Touch system	Surface Light Wave	Surface Light Wave
	Touch technology	Infra-red	Infra-red
	Glass	Anti-glare	Anti-glare
	Touch precision	32768*32768 dpi	32768*32768 dpi
	Number of touch points (standard)	20 Points	20 Points
	Tempered Glass	4mm Toughened Glass	4mm Toughened Glass
	Frame Material	Aluminum/Plastic	Aluminum/Plastic
	Minimum Touch Object	3mm	3mm
	Touch Accuracy	±1mm	±1mm
	Response Time	<10ms	<10ms
	Driver	Plug and Play	Plug and Play
	Touch tool	"Finger or touch pen or other solid(soft tip) object"	"Finger or touch pen or other solid(soft tip) object"
	Theory Clicks	Unlimited	Unlimited
	Light resistance	Available	Available
Mainboard	Chip	MSD848	MSD848
	Core	2 x Dual Core	2 x Dual Core
	CPU	A73 Dual-Core / A53 Dual-Core @ 1.5GHz	A73 Dual-Core / A53 Dual-Core @ 1.5GHz
	GPU	G51MP	G51MP
	RAM/ROM	3GB DDR/32GB ROM	3GB DDR/32GB ROM
	Wi-Fi	"802.11 a/b/g/n Dual Band 2.4G and 5GHz"	"802.11 a/b/g/n Dual Band 2.4G and 5GHz"
	OS	Android 8.0	Android 8.0
	Built-in system	Android	Android
Operating System	OPS system	Windows 10 Pro	Windows 10 Pro
	OPS CPU	i5-9500 series	i5-9500 series
	OPS RAM	16 GB	16 GB
	OPS Storage	128 GB	128 GB
	OPS Storage	128 GB	128 GB
Front Frame Port	HDMI	*1	*1
	Multi-media (USB 2.0)	*4	*4
	Touch USB	*1	*1
	OPS-PC USB	*2(*1 support Android/Windows)	*2(*1 support Android/Windows)
Input Port	VGA	*2	*2
	CVBS	*1	*1
	YPbPr/YCbCr	*1	*1
	HDMI	*4(*1 OPS)	*4(*1 OPS)
	3.5mm Audio	*2	*2
	Touch USB (2.0 A Port)	*1	*1
	USB3.0(Multi-media)	*1	*1
	USB2.0(Multi-media)	*2	*2
	SD Card Slot	*1	*1

ITEM	Model	DMTP65-i5	DMTP75-i5
Output Port	Earphone	*1	*1
	SPDIF	*1	*1
	HDMI Out	*1	*1
Network	Ethernet / LAN	RJ45 *1	RJ45 *1
	WiFi	"802.11 a/b/g/n/ac Dual Band 2.4G and 5GHz"	"802.11 a/b/g/n/ac Dual Band 2.4G and 5GHz"
	RS232	DB15 Type *1	DB15 Type*1
Power	Voltage	100 V ~ 240 V/AC, 50/60 Hz	100 V ~ 240 V/AC, 50/60 Hz
	Maximum (Watt)	200W	280W
	Standby (Watt)	<=0.5W	<=0.5W
	Power(AC) Input	*1	*1
Speaker	Audio Output Power	15W*2	15W*2
Environment	Working Temperature	0 ~ 40 °C	0 ~ 40 °C
	Storage Temperature	- 20 ~ 60 °C	- 20 ~ 60 °C
	Working Humidity	20% to 80% RH	20% to 80% RH
	Storage Humidity	<95% RH	<95% RH
Structure	"Product Size (mm) (W x D x H)"	1524.64*947.28*100.85 mm	1745.8*1071.7*117 mm
	"Product Size (mm) w/Wall Mount (W x D x H)"	1524.64*947.28*149 mm	1745.8*1071.7*149 mm
	"Package Size (mm) (W x D x H)"	1622.44*1038.48*230.0 mm	1835*1152*230.0 mm
	N.W	50Kg	65.5Kg
	G.W	60Kg	76Kg
	Case Material	Aluminum / Metal	Aluminum / Metal
	Housing color	Black	Black
	Four even bezel (T/B/L/R)	Aluminum	Aluminum
Accessories	Remote Control	*1	*1
	Power Cord	*1	*1
	USB Cable	*1	*1
	HDMI Cable	*1	*1
	Touch Pen	*2	*2
	Qualified Lable	*1	*1
	User Manual	*1	*1
	Warranty Card	*1	*1

For any enquiry please contact us.

sales@eurosound.co

WWW.EUROSOUND.CO